

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
PHONE (916) 227-6230
FAX (916) 227-6214
TTY (916) 227-8454



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

September 21, 2004

07-LA-5-18.5/24.6
07-206204
ACIM-005-2(918)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in LOS ANGELES COUNTY IN LOS ANGELES AND CITY OF COMMERCE FROM 0.1 KM SOUTH OF WASHINGTON BOULEVARD UNDERCROSSING TO 0.2 KM NORTH OF CALZONA STREET.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on September 30, 2004, instead of the original date of September 23, 2004.

This addendum is being issued to set a new bid opening date as shown herein and to revise the Notice to Contractors and Special Provisions.

In the Special Provisions, Section 10-1.08, "Maintaining Traffic," the first sentence of paragraph 8 is revised as follows:

"When removing and replacing concrete pavement and approach slabs, the Contractor shall schedule operations in conformance with the hours and requirements as shown on Table A through Table H in place of Charts 1 through 4."

In the Special Provisions, Section 10-1.08, "Maintaining Traffic," "TABLE H" is added as attached.

To Proposal and Contract book holders:

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 2
Page 2
September 21, 2004

07-LA-5-18.5/24.6
07-206204
ACIM-005-2(918)E

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum and the modified wage rates are available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachments

TABLE H		
PERMISSIBLE HOURS OF LANE CLOSURES FOR ASPHALT CONCRETE REPLACEMENT		
LOCATION: Southbound 5 ; Southbound 710 connector off to Southbound 710 connector on		
Lane No. Being Replaced	Lane No. Closed	Remove and Replace Asphalt Concrete
		Closure Hours
1	1,2	Refer to Chart #4
2	1,2,3	1:00 a.m. Sunday to 8 a.m. Sunday
3	2,3	Refer to Chart #4
Lane No. Being Replaced	Other Closure Requirements	
2	<p>Close southbound Route 5 freeway at the southbound 710 off-connector and detour traffic onto southbound Route 710 and exit at Washington Boulevard; east on Washington to the southbound Route 5 on-ramp.</p> <p>Place a portable changeable message sign at the Ditman Ave on-ramp gore with the message: "FREEWAY / CLOSED / AHEAD – DETOUR / S 710 TO / WASHINGTON"</p> <p>A minimum of 13 special freeway detour signs, as shown on plans, shall be posted along the detour route and shall be removed at the end of each closure.</p> <p>Close the Southbound 101 to Southbound 5 connector at 12:00 A.M. Place a portable changeable message sign on Southbound 101 upstream of the South 5 connector with the message "SOUTH 5/EXIT/CLOSED"- "USE E 60/TO/S 710"</p> <p>Close the Eastbound 60 to Southbound 5 connector at 12:00 A.M. Place a portable changeable message sign on Eastbound 60 upstream of the South 5 connector with the message "SOUTH 5/EXIT/CLOSED"- "USE E 60/TO/S 710"</p>	